

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(image adj2 scanner\$5 with (finger adj2 print\$5 fingerprint\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:13
L1	2	("5963656").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 15:52
L2	6	(detect\$5 adj2 fingerprint\$5) with prohibit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 15:53
L3	10	(detect\$5 near4 fingerprint\$5) with prohibit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 15:54
L4	4	3 not 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 15:53
L5	199	(detect\$5 near2 fingerprint\$5) same (prohibit\$5 avoid\$5 prevent\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 15:57
L6	108	5 and @ad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 15:58
L7	74	(printer\$5 scanner\$5 image adj2 form\$5 adj2 apparatus\$5 copy adj2 machin\$5) with (detect\$5 near2 fingerprint\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 15:57
L8	35	7 and @ad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:04

L9	2	("5390003").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 16:03
L10	13	(detect\$5 adj2 (fingerprint\$5 finger adj1 print\$5)) with document\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:04
L11	69	(scan\$5 adj2 (fingerprint\$5 finger adj1 print\$5)) with document\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:07
L12	42	11 and @ad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:07
L13	37	(read\$5 adj2 (fingerprint\$5 finger adj1 print\$5)) with document\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:07
L14	17	13 and @ad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:13
L15	2	("5991467").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 16:13
L16	176	(image adj2 scanner\$5 with (finger adj2 print\$5 fingerprint\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:15
L17	107	16 and @ad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:14
L18	93	16 and @ad<"20000405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:20

L19	28	(document\$2 adj2 scanner\$5 with (finger adj2 print\$5 fingerprint\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:15
L20	6	19 and @ad<"20000405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:16
L21	0	(copy adj2 machine\$2 facsimile\$5 image adj2 form\$5 adj2 apparatus\$5) adj2 detect\$5 with (fingerprint\$5 finger adj2 print\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:17
L22	10	(copy adj2 machine\$2 facsimile\$5 image adj2 form\$5 adj2 apparatus\$5) near4 detect\$5 with (fingerprint\$5 finger adj2 print\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:19
L23	12	(copy adj2 machine\$2 facsimile\$5 image adj2 form\$5 adj2 apparatus\$5 copier\$2) near4 detect\$5 with (fingerprint\$5 finger adj2 print\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:19
L24	3	(copier\$2) near4 detect\$5 with (fingerprint\$5 finger adj2 print\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:20
L25	6	(copier\$2) with detect\$5 with (fingerprint\$5 finger adj2 print\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:20
L26	4	25 and @ad<"20000405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:21
L27	959	(document\$5 with (finger\$5 adj1 print\$5 fingerprint\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:21
L28	64	detect\$5 with (document\$5 with (finger\$5 adj1 print\$5 fingerprint\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:21

L29	30	28 and @ad<"20000405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:39
L31	5	(prevent\$5 prohibit\$5 avoid\$5) adj1 print\$5 with (fingerprint\$5 finger adj1 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:38
L32	143	(prevent\$5 prohibit\$5 avoid\$5) near2 print\$5 with (fingerprint\$5 finger adj1 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:38
L33	138	32 not 31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:38
L34	87	33 and @ad<"20000405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 16:39
S1	4	((("6335978") or ("6275600")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 15:38
S2	2	ep-773513-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:40
S3	2	jp-09174825-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:11
S4	2	("6628413").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 17:28
S5	17	(prevent\$5 prohibit\$5 avoid\$5) adj2 re adj1 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:36

S6	2	("6515755").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 17:35
S7	27	(prevent\$5 prohibit\$5 avoid\$5) near5 re adj1 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:38
S8	10	S7 not S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:39
S9	55	(prevent\$5 prohibit\$5 avoid\$5) with re adj1 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:42
S10	33	S9 not S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:38
S11	1	S10 and @rlad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:43
S12	2	("20020145747").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 17:40
S13	0	ep-200048127-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:41
S14	0	ep-2000048127-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:41
S15	0	wo-2000048127-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:41

S16	1	wo-200048127-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:42
S17	0	ep-0773513-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:42
S18	2	ep-773513-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:42
S19	78	(prevent\$5 prohibit\$5 avoid\$5) same re adj1 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:46
S20	62	S19 not "55"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:43
S21	23	S19 not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:43
S22	12	S21 and @ad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:47
S23	71	(prevent\$5 prohibit\$5 avoid\$5) adj2 (reprint\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:53
S24	45	S23 and @ad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 18:05
S25	3	("6608697").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 17:51

S26	9	(prevent\$5 prohibit\$5 avoid\$5) with (reprint\$5) with (secur\$5 confidential\$5 stamp\$5 ticket\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:55
S27	272	(prevent\$5 prohibit\$5 avoid\$5) with (reprint\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:55
S28	197	S27 and @ad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 18:03
S29	13	(prevent\$5 prohibit\$5 avoid\$5) with (reprint\$5) same (stamp\$5 secur\$5 confidential\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:56
S30	367	(compar\$5 analy\$5 determin\$5) adj2 (printed\$5) with (original\$5 referenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 18:03
S31	0	(compar\$5 analy\$5 determin\$5) adj2 (printed\$5) with (original\$5 referenc\$5) with reprint\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 18:03
S32	2	(compar\$5 analy\$5 determin\$5) adj2 (printed\$5) with (original\$5 referenc\$5) same reprint\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 18:04
S33	0	(compar\$5 analy\$5 determin\$5) adj2 (printed\$5) with (original\$5 referenc\$5) and (prohibit\$5 prevent\$5 avoid\$5) adj2 reprint\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 18:04
S34	0	(compar\$5 analy\$5 determin\$5) adj2 (printed\$5) with (original\$5 referenc\$5) and (prohibit\$5 prevent\$5 avoid\$5) with reprint\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 18:04
S35	0	(compar\$5 analy\$5 determin\$5) adj2 (printed\$5) with (original\$5 referenc\$5) and (prohibit\$5 prevent\$5 avoid\$5) same reprint\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 18:04

S36	186	(compar\$5 analy\$5 determin\$5) adj2 (printed\$5) with (original\$5 referenc\$5) and (prohibit\$5 prevent\$5 avoid\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 18:08
S37	106	S36 and @ad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 19:31
S38	3	("5155529" "5173733" "6275600").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/02 18:06
S39	21	(compar\$5 analy\$5 determin\$5) adj2 (printed\$5) with (original\$5 referenc\$5) and (reprint\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 18:08
S40	5	("4630129").URPN.	USPAT	OR	ON	2005/12/02 19:19
S41	14	(prevent\$5 prohibit\$5) adj1 (additional\$5 adj2 (print\$5 copy\$5))	USPAT	OR	ON	2005/12/02 19:22
S42	11	(prevent\$5 prohibit\$5) adj1 (additional\$5 another\$5) adj2 (print\$5)	USPAT	OR	ON	2005/12/02 19:22
S43	0	S42 not S41	USPAT	OR	ON	2005/12/02 19:22
S44	16	(prevent\$5 prohibit\$5) adj2 (additional\$5 another\$5) adj2 (print\$5)	USPAT	OR	ON	2005/12/02 19:23
S45	5	S44 not S41	USPAT	OR	ON	2005/12/02 19:22
S46	25	(prevent\$5 prohibit\$5) adj1 (additional\$5 another\$5) near4 (print\$5)	USPAT	OR	ON	2005/12/02 19:30
S47	14	S46 not S41	USPAT	OR	ON	2005/12/02 19:23
S48	8	(prevent\$5 prohibit\$5 stop\$5) adj1 (additional\$5 another\$5) adj1 (print\$5)	USPAT	OR	ON	2005/12/02 19:30
S49	2	(prevent\$5 prohibit\$5 stop\$5) adj1 (additional\$5 another\$5) adj1 (output\$5)	USPAT	OR	ON	2005/12/02 19:31
S50	0	(prevent\$5 prohibit\$5 stop\$5) adj1 (additional\$5 another\$5) with print\$5 adj2 output\$5	USPAT	OR	ON	2005/12/02 19:31
S51	61	(prevent\$5 prohibit\$5 stop\$5) adj1 (additional\$5 another\$5) with print\$5	USPAT	OR	ON	2005/12/02 19:31

S52	54	S51 and @ad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 19:49
S53	1	(prohibit\$5) near2 (another\$5 additional\$5) near2 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 19:44
S54	98	(prohibit\$5 prevent\$5 avoid\$5) near2 (another\$5 additional\$5) near2 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 19:44
S55	67	S54 and @ad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 19:48
S56	0	(prevent\$5 prohibit\$5 avoid\$5 deny\$5) adj1 print\$5 near5 (additional\$5 adj2 page\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 19:54
S57	30	(prevent\$5 prohibit\$5 avoid\$5 deny\$5) adj1 print\$5 near5 (additional\$5 another\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 19:49
S58	18	S57 and @ad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 19:54
S59	69	(prevent\$5 prohibit\$5 avoid\$5 deny\$5) near1 (reprint\$5 re adj1 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 19:54
S60	44	S59 and @ad<"20010405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 19:54